

Explanatory Notes

All cases (locked and unlocked) admitted to hospital between 01 July 2025 and 30 September 2025 have been included. Only cases where the necessary data are available have been included in the denominator for each individual analysis.

At hospital level, runcharts are compared to hospitals within the same ICB.

The results for process measures for which fewer than 10 cases have available data will not be reported. Instead the value will be marked as 'Insufficient data'.

Mortality

This section defines three key mortality measures for the monthly report. In all cases we include only patients whose surgery-to-discharge interval (Q4.1 - Q7.8) is ≤ 30 days, and we exclude any with missing discharge status (Q7.7) or missing dates (Q4.1/Q7.8).

1. 30-Day Observed (Crude) Mortality Rate

Let

- d = number of patients who **died** within 30 days of surgery,
- N = total number of patients with known discharge status (alive, died, or still in hospital at 60 days).

Then the crude 30-day mortality rate (as a percentage) is

$$\text{Crude 30-day Mortality Rate} = \frac{d}{N} \times 100.$$

2. Standardised Mortality Ratio (SMR)

Let

- $O = d$ = observed deaths within 30 days,
- $E = \sum_i \text{RiskScore}_i$ = sum of individual parsimonious NELA mortality risk scores for all N patients.

The SMR is

$$\text{SMR} = \frac{O}{E}.$$

3. Risk-Adjusted Mortality

Combines the SMR with the **National** 30-day mortality rate for the examined three month period:

$$\text{Risk-Adjusted Mortality} = \text{SMR} \times (\text{National 30-day mortality}) \times 100.$$

For better insight to how these standards have been structured, please refer to the **NELA standards document**.

Quarterly mean performance



Overall performance



Risk-adjusted mortality

Rating boundaries are lower and upper 99.8% and 95% confidence limits



Non-risk-adjusted measures

Rating boundaries are lower and upper national quartiles




St Mary's Hospital

2025-26 Reporting Period 6: 01 July 2025 - 30 September 2025

These plots represent patients having an emergency laparotomy during Year 2025-26 Reporting Period 6 of NELA data collection. This version will be made publicly available via the NELA website. Feedback from participating hospitals is welcome.



NELA process and outcome measures



Estimated case ascertainment
01 July 2025 - 30 September 2025

**Estimated case ascertainment
(Based on HES/PEDW Data)**



Expected number of cases 29
Total cases entered 17
Cases locked 2
Cases unlocked 15



Proportion of patients who had a CT scan that
was reported by a senior radiologist (ST3+)
and communicated with the team
in the correct time scale before surgery
01 July 2025 - 30 September 2025

**CT reported by a senior radiologist
(ST3+) and communicated with the
team in the correct time scale
before surgery.**



National mean 12%
ICB mean 15%
Number of patients included 13
Data completeness 100%



Proportion of patients with suspected
sepsis or infection that have antibiotic
administration within the correct clinical
timeframe
01 July 2025 - 30 September 2025

**Combined Infection
management standard -
antibiotic administration
within the correct clinical
timeframe**



National mean 19%
ICB mean 23%
Number of patients included 8
Data completeness 73%



Proportion of patients with suspected sepsis and or septic shock that have antibiotic administration within the correct clinical timeframe
01 July 2025 - 30 September 2025

Sepsis/septic shock - antibiotic administration within the correct clinical timeframe



National mean 12%
ICB mean 21%
Number of patients included 4
Data completeness 57%



Proportion of patients with suspected infection that have antibiotic administration within the correct clinical timeframe
01 July 2025 - 30 September 2025

Infection - antibiotic administration within the correct clinical timeframe



National mean 28%
ICB mean 15%
Number of patients included 4
Data completeness 36%



Proportion of non-elective, immediate surgery cases, arriving in theatre within 6 hours
01 July 2025 - 30 September 2025

Non-elective, immediate surgery cases, arriving in theatre within 6 hours.



National mean 12%
ICB mean 22%
Number of patients included 9
Data completeness 100%



Risk of death documented before surgery
01 July 2025 - 30 September 2025

Risk documented before surgery



National mean 73%
ICB mean 64%
Number of patients included 17
Data completeness 100%



Risk of death documented after surgery
01 July 2025 - 30 September 2025

Risk documented after surgery



National mean 56%
ICB mean 35%
Number of patients included 17
Data completeness 100%



Admitted to critical care following surgery when the risk of death ≥ 5% (Excludes patients who died in theatre or with a decision to palliate)
01 July 2025 - 30 September 2025

Admitted to Critical Care (risk of death ≥ 5%)



National mean 62%
ICB mean 29%
Number of patients included 7
Data completeness 100%



Consultant surgeon and anaesthetist present in theatre when risk of death ≥ 5%
01 July 2025 - 30 September 2025

Consultant Anaesthetist & Consultant Surgeon in theatre (risk of death ≥ 5%)



National mean 79%
ICB mean 75%
Number of patients included 7
Data completeness 64%



Perioperative assessment by a care of the older person specialist
01 July 2025 - 30 September 2025



Perioperative Assessment by a member of the geriatrician-led multidisciplinary team for patient aged 65 or over and frail (CFS ≥ 5) or 80+

National mean 31%
ICB mean 33%
Number of patients included 1
Data completeness 25%



Median postoperative length of stay


National median 10 days
ICB median 12 days
Number of patients included 6
Data completeness 67%



Mean postoperative length of stay

National mean 14 days
ICB mean 15 days
Number of patients included 6
Data completeness 67%

Risk-Adjusted Mortality



Number of patients included 6 | 30-day risk-adjusted mortality rate NaN% | National 30-day mortality rate 7.2%

Integrated Care Board

St Mary's Hospital is part of the NHS North West London Integrated Care Board ICB. This comprises St Mary's Hospital, Hillingdon Hospital, West Middlesex University Hospital, Northwick Park/St Marks Hospital, Hammer-smith Hospital, Chelsea and Westminster Hospital, Charing Cross, Ealing Hospital.