

## Explanatory Notes

All cases (locked and unlocked) admitted to hospital between 01 April 2026 and 30 June 2026 have been included. Only cases where the necessary data are available have been included in the denominator for each individual analysis.

At hospital level, runcharts are compared to hospitals within the same ICB.

The results for process measures for which fewer than 10 cases have available data will not be reported. Instead the value will be marked as 'Insufficient data'.

## Mortality

This section defines three key mortality measures for the monthly report. In all cases we include only patients whose surgery-to-discharge interval (Q4.1 - Q7.8) is  $\leq 30$  days, and we exclude any with missing discharge status (Q7.7) or missing dates (Q4.1/Q7.8).

### 1. 30-Day Observed (Crude) Mortality Rate

Let

- $d$  = number of patients who **died** within 30 days of surgery,
- $N$  = total number of patients with known discharge status (alive, died, or still in hospital at 60 days).

Then the crude 30-day mortality rate (as a percentage) is

$$\text{Crude 30-day Mortality Rate} = \frac{d}{N} \times 100.$$

### 2. Standardised Mortality Ratio (SMR)

Let

- $O = d$  = observed deaths within 30 days,
- $E = \sum_i \text{RiskScore}_i$  = sum of individual parsimonious NELA mortality risk scores for all  $N$  patients.

The SMR is

$$\text{SMR} = \frac{O}{E}.$$

### 3. Risk-Adjusted Mortality

Combines the SMR with the **National** 30-day mortality rate for the examined three month period:

$$\text{Risk-Adjusted Mortality} = \text{SMR} \times (\text{National 30-day mortality}) \times 100.$$

For better insight to how these standards have been structured, please refer to the **NELA standards document**.

## Quarterly mean performance



## Overall performance

### RAG rating boundaries



### Hospital performance

Number of patients included 38  
Data completeness 81.6%  
National mean 65%

RAG rated standard and date range

## Risk-adjusted mortality

Rating boundaries are lower and upper 99.8% and 95% confidence limits



## Non-risk-adjusted measures

Rating boundaries are lower and upper national quartiles




## Whittington Hospital

### 2026-27 Reporting Period 3: 01 April 2026 - 30 June 2026

These plots represent patients having an emergency laparotomy during Year 2026-27 Reporting Period 3 of NELA data collection. This version will be made publicly available via the NELA website. Feedback from participating hospitals is welcome.



### NELA process and outcome measures



Estimated case ascertainment  
01 April 2026 - 30 June 2026

#### Estimated case ascertainment (Based on HES/PEDW Data)



Expected number of cases 23  
Total cases entered 21  
Cases locked 21  
Cases unlocked 0



Proportion of patients who had a CT scan that  
was reported by a senior radiologist (ST3+)  
and communicated with the team  
in the correct time scale before surgery  
01 April 2026 - 30 June 2026

#### CT reported by a senior radiologist (ST3+) and communicated with the team in the correct time scale before surgery.



National mean 12%  
ICB mean 10%  
Number of patients included 19  
Data completeness 90%



Proportion of patients with suspected  
sepsis or infection that have antibiotic  
administration within the correct clinical timeframe  
01 April 2026 - 30 June 2026



#### Combined Infection management standard - antibiotic administration within the correct clinical timeframe

National mean 20%  
ICB mean 27%  
Number of patients included 9  
Data completeness 100%





## Sepsis/septic shock - antibiotic administration within the correct clinical timeframe

National mean 13%  
ICB mean 23%  
Number of patients included 7  
Data completeness 100%





## Infection - antibiotic administration within the correct clinical timeframe

National mean 27%  
ICB mean 31%  
Number of patients included 2  
Data completeness 22%





## Non-elective, immediate surgery cases, arriving in theatre within 6 hours.

National mean 12%  
ICB mean 11%  
Number of patients included 18  
Data completeness 100%



## Risk documented before surgery

National mean 75%  
ICB mean 81%  
Number of patients included 21  
Data completeness 100%



Risk of death documented after surgery  
01 April 2026 - 30 June 2026



## Risk documented after surgery

National mean 56%

ICB mean 56%

Number of patients included 21

Data completeness 100%



Admitted to critical care following surgery when the risk of death  $\geq 5\%$  (Excludes patients who died in theatre or with a decision to palliate)  
01 April 2026 - 30 June 2026



## Admitted to Critical Care (risk of death $\geq 5\%$ )

National mean 62%

ICB mean 53%

Number of patients included 8

Data completeness 100%



Consultant surgeon and anaesthetist present in theatre when risk of death  $\geq 5\%$   
01 April 2026 - 30 June 2026



## Consultant Anaesthetist & Consultant Surgeon in theatre (risk of death $\geq 5\%$ )

National mean 79%

ICB mean 85%

Number of patients included 9

Data completeness 90%



Perioperative assessment by a care of the older person specialist  
01 April 2026 - 30 June 2026



## Perioperative Assessment by a member of the geriatrician-led multidisciplinary team for patient aged 65 or over and frail (CFS $\geq 5$ ) or 80+

National mean 28%

ICB mean 43%



Number of patients included 4

Data completeness 100%



## Median postoperative length of stay


National median 10 days  
ICB median 10 days  
Number of patients included 19  
Data completeness 100%



## Mean postoperative length of stay

National mean 15 days  
ICB mean 15 days  
Number of patients included 19  
Data completeness 100%

## Risk-Adjusted Mortality



Number of patients included 21 | 30-day risk-adjusted mortality rate 5.3% | National 30-day mortality rate 6.3%

## Integrated Care Board

Whittington Hospital is part of the NHS North Central London Integrated Care Board ICB. This comprises Barnet Hospital, University College Hospital, Whittington Hospital, North Middlesex University Hospital, Royal Free Hospital.