

Explanatory Notes

All cases admitted to hospital between 01 March 2026 and 31 May 2026 have been included. Only cases where the necessary data are available have been included in the denominator for each individual analysis.

The results for process measures for which fewer than 10 cases have available data will not be reported. Instead value will be marked as 'Insufficient data'.

For this report runcharts are compared to national quartiles.

For better insight to how these standards have been structured, please refer to the **NELA standards document**.




Wales

2026-27 Reporting Period 2: 01 March 2026 - 31 May 2026

These plots represent patients having an emergency laparotomy during Year 2026-27 Reporting Period 2 of NELA data collection.



NELA process and outcome measures



Estimated case ascertainment
01 March 2026 - 31 May 2026

Estimated Case Ascertainment (Based on HES Data)



Expected number of cases 279
Total cases entered 289
Cases locked 218
Cases unlocked 71



Proportion of patients who had a CT scan that
was reported by senior radiologist and communicated
with the team in the correct time scale before surgery
01 March 2026 - 31 May 2026

CT reported by a senior radiologist (ST3+) and communicated with the team in the correct time scale before surgery.



National mean 11%
Number of patients included 210
Data completeness 95%



Proportion of patients with suspected
sepsis/septic shock or infection that have antibiotic
administration within the correct clinical timeframe
01 March 2026 - 31 May 2026



Combined Infection management standard - antibiotic administration within the correct clinical timeframe

National mean 20%
Number of patients included 92
Data completeness 92%





Sepsis/septic shock - antibiotic administration within the correct clinical timeframe

National mean 13%
Number of patients included 46
Data completeness 85%





Infection - antibiotic administration within the correct clinical timeframe

National mean 25%
Number of patients included 46
Data completeness 45%





Timeliness - proportion of patients arriving in theatre according to correct clinical timeframe.

National mean 10%
Number of patients included 167
Data completeness 100%



Risk documented before surgery



National mean 75%
Number of patients included 289
Data completeness 100%



Risk of death documented after surgery
01 March 2026 - 31 May 2026

Risk documented after surgery



National mean 55%
Number of patients included 289
Data completeness 100%



Admitted to critical care following surgery when the
risk of death $\geq 5\%$ (Excludes patients who
died in theatre or with a decision to palliate)
01 March 2026 - 31 May 2026

Admitted to Critical Care (risk of death $\geq 5\%$)



National mean 62%
Number of patients included 163
Data completeness 100%



Consultant surgeon and anaesthetist present in
theatre when risk of death $\geq 5\%$
01 March 2026 - 31 May 2026

Consultant Anaesthetist & Consultant Surgeon in theatre (risk of death $\geq 5\%$)



National mean 79%
Number of patients included 166
Data completeness 76%



Perioperative assessment by a care of the older
person specialist
01 March 2026 - 31 May 2026



Perioperative Assessment by a member of the geriatrician- led multidisciplinary team for patient aged 65 or over and frail (CFS ≥ 5) or 80+

National mean 29%
Number of patients included 73
Data completeness 91%



Median postoperative Length of Stay


National median 10 days
Number of patients included 231
Data completeness 95%



Mean postoperative Length of Stay

National mean 15 days
Number of patients included 231
Data completeness 95%

Risk-Adjusted Mortality



Number of patients included 242 | 30-day risk-adjusted mortality rate 3.3% | National 30-day mortality rate 6.1%

Integrated Care Board

Wales ICB comprises Morriston Hospital, Princess of Wales Hospital, Royal Gwent Hospital, Glan Clwyd Hospital, Wrexham Maelor Hospital, Ysbyty Gwynedd Hospital, University Hospital of Wales, Prince Charles Hospital, Royal Glamorgan, Bronglais General Hospital, Glangwili General Hospital, Withybush General Hospital, Grange University Hospital.